



# **KÖSTER** **TPO / ECB** **ACCESSORIES**

IN GREY AND BLACK



## Accessory Range

### A complete range of accessories for KÖSTER TPO Roofing Membranes

| Product image                                                                      |              | Product name                                          | Field of application                                                                                                                                                  |
|------------------------------------------------------------------------------------|--------------|-------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|    | W 815 105    | <b>KÖSTER KSK SY 15</b>                               | Cold applied, self-adhesive waterproofing membrane for terraces, balconies, wet rooms, and basements (1.5 mm x 1,05 m x 20 m)                                         |
|    | R 920 075    | <b>KÖSTER Vapor Barrier LFL</b>                       | Vapor barrier with low fire load according to DIN 18234, fire class E, heating value < 10.500 KJ/m², sd-value > 1500 m, approved as a temporary waterproofing measure |
|    | R 925 001    | <b>KÖSTER Maintenance Walkway Mat</b>                 | For creating safe protective walkways on flat roofs. Weldable with KÖSTER TPO and KÖSTER ECB roofing membranes                                                        |
|    | RT 901 001   | <b>KÖSTER External Corner light grey height 10 cm</b> | For the professional creation of external corners, 90°, length of edge 100 mm                                                                                         |
|   | RT 901 001 B | <b>KÖSTER External Corner black height 10 cm</b>      | For the professional creation of external corners, 90°, length of edge 100 mm                                                                                         |
|  | RT 901 002 B | <b>KÖSTER External Corner black height 30 cm</b>      | For the professional creation of external corners, 90°, length of edge 300 mm                                                                                         |
|  | RT 902 001   | <b>KÖSTER Internal Corner light grey height 10 cm</b> | For the professional creation of external corners, 90°, length of edge 100 mm                                                                                         |
|  | RT 902 001 B | <b>KÖSTER Internal Corner black height 10 cm</b>      | For the professional creation of external corners, 90°, length of edge 100 mm                                                                                         |
|  | RT 902 002 B | <b>KÖSTER Internal Corner black height 30 cm</b>      | For the professional creation of internal corners, 90°, length of edge 300 mm                                                                                         |

### A complete range of accessories for KÖSTER TPO Roofing Membranes



| Product image                                                                         |              | Product name                                  | Field of application                                                                                                                                    |
|---------------------------------------------------------------------------------------|--------------|-----------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------|
|    | RT 903 001   | <b>KÖSTER Round Corner Patch light grey</b>   | For the waterproofing of corner formations such as skylights                                                                                            |
|    | RT 903 001 B | <b>KÖSTER Round Corner Patch black</b>        | For the waterproofing of corner formations such as skylights                                                                                            |
|    | RT 904 001   | <b>KÖSTER Pipe Flashing 8/180 light grey</b>  | For the safe waterproofing of cable penetrations, inner diameter 8 mm, height 180 mm                                                                    |
|    | RT 904 001 B | <b>KÖSTER Pipe Flashing 8/180 black</b>       | For the safe waterproofing of cable penetrations, inner diameter 8 mm, height 180 mm                                                                    |
|   | RT 904 002   | <b>KÖSTER Pipe Flashing 34/180 light grey</b> | For the safe waterproofing of cable penetrations, inner diameter 34-93 mm, height 120-180 mm                                                            |
|  | RT 904 003   | <b>KÖSTER Pipe Flashing 40/190 light grey</b> | For the safe waterproofing of cable penetrations, inner diameter 40-175 mm, height 190 mm                                                               |
|  | RT 904 003 B | <b>KÖSTER Pipe Flashing 40/190 black</b>      | For the safe waterproofing of cable penetrations, inner diameter 40-175 mm, height 190 mm                                                               |
|  | RT 905 001   | <b>KÖSTER Pipe Flashing 10/300 light grey</b> | For the safe waterproofing of lightning protection cables and and other cable penetrations, includes shrink tubing, inner diameter 10 mm, height 300 mm |
|  | RT 905 002   | <b>KÖSTER Pipe Flashing 20/300 light grey</b> | For the safe waterproofing of lightning protection cables and and other cable penetrations, includes shrink tubing, inner diameter 20 mm, height 300 mm |

## Accessory Range

### A complete range of accessories for KÖSTER TPO Roofing Membranes



| Product image                                                                       | Product name                                                             | Field of application                                                                                                              |
|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------|
|    | RT 905 003<br><b>KÖSTER Pipe Flashing 40/300 light grey</b>              | For the safe waterproofing of cable penetrations, includes shrink tubing, inner diameter 40 mm, height 300 mm                     |
|    | RT 906 001 B<br><b>KÖSTER Pipe Flashing 15/120 black</b>                 | For the safe waterproofing of cable penetrations, includes shrink tubing, inner diameter 15 mm, height 120 mm                     |
|    | RT 910 002<br><b>KÖSTER TPO Metal Composite Sheet light grey</b>         | One-sided polymer coated metal sheet used to fabricate metal drip edges and other roofing edge profiles. 1.00 x 2.00 m light grey |
|    | RT 910 002 B<br><b>KÖSTER TPO Metal Composite Sheet black</b>            | One-sided polymer coated metal sheet used to fabricate metal drip edges and other roofing edge profiles. 1.00 x 2.00 m black      |
|    | RT 910 030<br><b>KÖSTER TPO Covered Metal Composite Sheet light grey</b> | As gutter flashing, coping, or drip edge with one-sided weld-able TPO coating. Coil 1 m x 30 m, sheet.                            |
|   | RT 910 030 B<br><b>KÖSTER TPO Covered Metal Composite Sheet black</b>    | As gutter flashing, coping, or drip edge with one-sided weld-able TPO coating. Coil 1 m x 30 m, sheet.                            |
|  | RT 915 001<br><b>KÖSTER Roof Drain with Leaf Trap NW 70</b>              | TPO roof drain, light grey                                                                                                        |
|  | RT 915 001 B<br><b>KÖSTER Roof Drain with Leaf Trap NW 70</b>            | ECB roof drain, NW 70, black                                                                                                      |
|  | RT 915 002<br><b>KÖSTER Roof Drain with Leaf Trap NW 100</b>             | TPO roof drain, NW 100, light grey                                                                                                |

### A complete range of accessories for KÖSTER TPO Roofing Membranes

| Product image                                                                         | Product name                                                   | Field of application                             |
|---------------------------------------------------------------------------------------|----------------------------------------------------------------|--------------------------------------------------|
|    | RT 915 002 B<br><b>KÖSTER Roof Drain with Leaf Trap NW 100</b> | ECB roof drain, NW 100, black                    |
|    | RT 915 003<br><b>KÖSTER Roof Drain with Leaf Trap NW 125</b>   | TPO roof drain, NW 125, light grey               |
|    | RT 915 003 B<br><b>KÖSTER Roof Drain with Leaf Trap NW 125</b> | ECB roof drain, NW 125, black                    |
|    | RT 916 001<br><b>KÖSTER Roof Vent with Cap NW 70</b>           | Roof vent light grey, NW 70 with black cap       |
|  | RT 916 002<br><b>KÖSTER Roof Vent with Cap NW 100</b>          | Roof vent light grey, NW 100 with light grey cap |
|  | RT 917 001 B<br><b>KÖSTER Attica Spout 120*60*300 mm</b>       | Rectangular attica spout, black                  |
|  | RT 917 002<br><b>KÖSTER Attica Spout 300*100*300 mm</b>        | Rectangular attica spout, light grey             |
|  | RT 917 003 B<br><b>KÖSTER Attica Spout 300*80*300 mm</b>       | Rectangular attica spout, black                  |
|  | RT 918 001<br><b>KÖSTER Emergency Overflow 120*60*300 mm</b>   | Emergency overflow, light grey                   |

## Accessory Range

### A complete range of accessories for KÖSTER TPO Roofing Membranes

| Product image                                                                       | Product name                                                      | Field of application                                                                 |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------|--------------------------------------------------------------------------------------|
|    | RT 918 001 B<br><b>KÖSTER Emergency Overflow</b><br>120*60*300 mm | Emergency overflow, black                                                            |
|    | RT 918 002<br><b>KÖSTER Emergency Overflow</b><br>300*100*300 mm  | Emergency overflow, light grey                                                       |
|    | RT 918 003 B<br><b>KÖSTER Emergency Overflow</b><br>300*80*300 mm | Emergency overflow, black                                                            |
|    | RT 101 006<br><b>KÖSTER PUR Membrane Adhesive</b>                 | Adhesive for fleece membranes with fleece backing, consumption: 160 - 450 g / sqm    |
|  | RT 102 004<br><b>KÖSTER Contact Adhesive</b>                      | Adhesive for membranes without fleece backing, consumption: 175 - 250 g / sqm / side |
|  | R 990 001<br><b>Leister Automatic Welder Varimat V2</b>           | Automatic welder 400 Volt 5700 Watts, 40 mm, includes storage case                   |
|  | R 991 001<br><b>Leister Automatic Welder Uniroof E 40</b>         | Automatic welder 230 Volt 2900 Watts, 40 mm, includes storage case                   |
|  | R 992 001<br><b>Leister Hot-Air Hand Tool</b>                     | Triac AT, 230 Volt, 1600 Watts, wide slot nozzle, 2 mm x 40 mm                       |
|  | R 995 001<br><b>Leister Wide Slot Nozzel 40 mm</b>                | Additional nozzle for hot-air hand tool                                              |
|  | R 998 001<br><b>Hand Pressure Roller 40 mm</b>                    | silicone, ball bearing, one arm                                                      |

## Range of products

### W Waterproofing systems

Basement, tank, and area waterproofing

### M Masonry

Restoration of masonry, anti mold systems

### IN Injection systems

Crack injection and crack repair systems

### C Concrete protection and repair

Concrete and mortar additives

### SL Self leveling underlayments

Self leveling mineral underlayments, floor patching materials, corresponding primers

### CT Coatings

Floor and corrosion protection coatings, moisture control systems

### J Joint sealing

Joint sealants, joint tapes

### B Wet room waterproofing

### P Façade protection and paints

### R Roofing membranes, roof waterproofing

### X Accessories



KÖSTER BAUCHEMIE AG develops, produces and supplies a comprehensive range of special construction materials in the areas of waterproofing and concrete repair. Being founded in 1982 in Germany, the KÖSTER Group consists meanwhile of 24 companies which are represented in more than 45 countries. It is our policy to offer construction materials of highest quality, durability and general performance.



*Service you can depend on*

With our service and distribution network in many countries world-wide we can offer you professional advice and technical support immediately and on the spot. Your required waterproofing materials can be delivered promptly and will protect your property efficiently and lastingly.

For further information, please contact:

**KÖSTER**  
Waterproofing Systems



DEUTSCHE  
BAUCHEMIE



KÖSTER BAUCHEMIE AG | Dieselstraße 1–10 | D-26607 Aurich  
Phone: +49 (4941) 9709-0 | Fax: +49 (4941) 9709-40 | [info@koster.eu](mailto:info@koster.eu) | [www.koster.eu](http://www.koster.eu)